



12 MONTHS MAINTENANCE COVERAGE COE WITH AISIN TRANSMISSION (FROM 12MY)

Update: The new Box Style CCV Filter Replacement interval: 100,000km/12months

5,000 km or 3 months

- Retorque leaf spring u-bolts
- Adjust brake pedal travel
- Chassis lubrication
- Lubricate door locks & hinges
- Lubricate cab lock mechanism

10,000 km or 6 months

- Replace engine oil & filter
- Clean air filter element
- Adjust belt tension
- Check all fluid levels
- Check steering wheel play
- Check steering knuckle & tie-rods
- Check brake pad/lining condition
- Check service brake pedal play
- Check service brake hoses & pipes
- Check spring clamp pin fitting nut
- Check spring u-bolt & spring band
- Check shock absorber mounting nut
- Check lamp operation
- Check wipers & windshield washer
- Check instrument lamp function
- Check instrument gauge operation
- Check wheels and retorque nuts
- Chassis lubrication
- Lubricate turbo control rod
- Lubricate door locks & hinges
- Lubricate cab lock mechanism
- Clean cabin air filter

20,000 km or 9 months

- Replace primary and secondary fuel filter
- Replace CCV filter ^{^ see update}
- Chassis lubrication
- Check all fluid levels
- Check brake pad/lining condition
- Adjust belt tension
- Check tire pressure
- Check wheel nut torque
- Check all lights
- Clean air filter element
- Adjust parking brake if required
- Lubricate door locks & hinges
- Lubricate cab lock mechanism

25,000 km or 12 months

- Replace engine oil & filter
- Chassis lubrication
- Lubricate turbo control rod

30,000 km or 12 months

- Chassis lubrication
- Check all fluid levels
- Check brake pad/lining condition
- Adjust belt tension
- Check tire pressure
- Check wheel nut torque
- Check all lights
- Clean air filter element
- Lubricate door locks & hinges
- Lubricate cab lock mechanism
- Clean cabin air filter

40,000 km

- Replace engine oil & filter
- Replace CCV filter ^{^ see update}
- Chassis lubrication
- Check all fluid levels
- Check brake pad/lining condition
- Adjust belt tension
- Check tire pressure
- Check wheel nut torque
- Check all lights
- Clean air filter element
- Replace primary and secondary fuel filter
- Replace transmission fluid
- Adjust parking brake if required
- Lubricate turbo control rod
- Lubricate door locks & hinges
- Lubricate cab lock mechanism
- Clean cabin air filter

50,000 km

- Chassis lubrication
- Check all fluid levels
- Check brake pad/lining condition
- Adjust belt tension
- Check tire pressure
- Check wheel nut torque
- Check all lights
- Clean air filter element
- Lubricate turbo control rod
- Lubricate door locks & hinges
- Lubricate cab lock mechanism
- Clean cabin air filter



HINO PREMIUM PROTECTION



12-24 MONTHS MAINTENANCE SCHEDULE

FROM 14MY COE 155, 165, 195

Updates: see bottom right for details

55,000 km or 18 months complimentary service:

Replace engine oil & filter
Lubrication: Chassis, VNT and cab components
[^ see update 2](#)

60,000 km recommended service:

Chassis lubrication	Complimentary
Differential oil change	Complimentary
Power steering fluid - change	(\$)
Brake power booster oil change	(\$)
Replace primary and secondary fuel filter	(\$)
Replace CCV filter ^ see update 1	(\$)
Replace air filter	(\$)
Replace all belts	(\$)

70,000 km or 24 months complimentary service:

Replace engine oil & filter
Lubrication: Chassis, VNT and cab components

80,000 km or 24 months recommended service:

Chassis lubrication	Complimentary
Replace transmission fluid ^ see update 2	Complimentary
Replace clutch fluid (Hybrid only)	Complimentary
Repack wheel bearings	(\$)
Brake fluid flush	(\$)
Replace CCV filter ^ see update 1	(\$)
Replace primary and secondary fuel filter	(\$)
Valve adjustment	(\$)

85,000 km or 30 months complimentary service:

Replace engine oil & filter
Lubrication: Chassis, VNT and cab components

95,000 km complimentary:

Chassis lubrication

100,000 km or 36 months complimentary service:

Replace engine oil & filter
Lubrication: Chassis, VNT and cab components

100,000 km recommended service:

Replace primary and secondary fuel filter	(\$)
Replace CCV filter ^ see update 1	(\$)

Updates:

- The new Box Style CCV Filter
Replacement interval: 100,000km/12months
- Transmission fluid replacement approved for vehicles with yearly mileage less than 40,000km. In this case skip the replacement at 24 months service.



Scheduled service must be performed \pm 2000km of recommended interval



HINO PREMIUM PROTECTION



24-36 MONTHS MAINTENANCE SCHEDULE FROM 14MY COE 155, 165, 195

110,000 km complimentary service:

Chassis Lubrication

Updates:

1. The new Box Style CCV Filter
Replacement interval: 100,000km/12months
2. Transmission fluid replacement approved for vehicles with yearly mileage less than 40,000km. In this case skip the replacement at 24 months service.

115,000 km or 36 months complimentary service:

Replace engine oil & filter

Lubrication: Chassis, VNT and cab components

[^ see update 2](#)

120,000 km recommended service:

Chassis lubrication

Differential oil change

Replace transmission fluid [^ see update 2](#)

Replace CCV filter [^ see update 1](#)

Replace clutch fluid (Hybrid only)

Replace primary and secondary fuel filter

Replace all belts

Power steering fluid - change

Brake power booster oil change

Complimentary

Complimentary

Complimentary

(\$)

(\$)

(\$)

(\$)

(\$)

(\$)

130,000 km complimentary service:

Replace engine oil & filter

Lubrication: Chassis, VNT and cab components

140,000 km recommended service:

Chassis lubrication

Replace primary and secondary fuel filter

Replace CCV filter [^ see update 1](#)

Complimentary

(\$)

(\$)

145,000 km complimentary service:

Replace Engine Oil & Filter

Lubrication: Chassis, VNT and cab components



Scheduled service must be performed \pm 2000km of recommended interval



HINO PREMIUM PROTECTION



COE Recommended Maintenance Intervals for 2009MY and up

General vehicle Inspection	10,000km or 3 months
Engine oil - Hino genuine oil	15,000km or 6 months
CCV cannister filter	*20,000km or 6 months
Primary & secondary fuel filters	20,000km or 6 months
Transmission fluid - change ¹	40,000km or 24 months
Belt replacement	60,000km or 24 months
Air filter replacement	60,000km or 24 months
Power steering fluid - change	60,000km or 24 months
Brake power booster oil change	60,000km or 24 months
Differential oil change (Non-synthetic oil only) ²	60,000km or 24 months
Valve adjustment	80,000km or 24 months
Repack wheel bearings	80,000km or 24 months or Brake Reline
Brake fluid flush	80,000km or 24 months
Replace DPR pressure differential switch hoses	240,000km or 36 months
DEF pump filter	240,000km or 36 months
Coolant flush	300,000km or 36 months

¹ Aisin Transmission requires ATF Type T-IV or equivalent from 2012MY
² Differential not approved for synthetic oil use

*Update: The new Box Style CCV Filter Replacement interval: 100,000km/12months

NAPS Recommended Maintenance Intervals for 2009MY and up

General vehicle inspection	10,000km or 3 months
Engine oil - Hino genuine oil (LDT)	15,000km or 6 months
Engine oil - Hino genuine oil (MDT)	20,000km or 6 months
CCV cannister filter (from 2011MY)	20,000km or 6 months
Air filter replacement	60,000km or 12 months
Belt replacement	60,000km or 24 months
Valve adjustment	80,000km or 24 months
Coolant flush	600,000km or 36 months
Fuel filter	20,000km or 6 months
Brake fluid flush	80,000km or 24 months
Transmission fluid - Change - Aisin	40,000km or 24 months
Transmission fluid - Change - Allison 1000/2000 Series ¹	240,000km or 48 months
Transmission fluid filter - Replace - Allison 1000/2000 Series ¹	80,000km or 24 months
Transmission fluid - Change - Allison 3000 Series ¹	480,000km or 48 months
Transmission fluid filter - Replace - Allison 3000 Series ¹	120,000km or 36 months
Transmission fluid - Change - Eaton ¹	400,000km or 36 months
Replace front axle hub oil ²	160,000kms or 12 months or brake reline
Differential oil change - synthetic ³	400,000km or 36 months
Power steering fluid - Change	60,000km or 24 months
Replace DPR pressure differential switch hoses	240,000km or 36 months
DEF pump filter: replace	240,000km or 36 months
DPR burner fuel injector nozzle: inspect/replace	240,000km
DPR burner flame sensor: inspect/replace	240,000km
DPR burner fuel filter: replace	100,000km or 24 months

¹ Transmission factory filled with approved synthetic oil from 2007MY and newer
² Synthetic oil used in front axle hubs from 2009MY (LDT) and 2006MY (MDT)
³ Differential factory filled with approved synthetic fluid from 2009MY and newer